

Package: quartomonothemer (via r-universe)

October 27, 2024

Type Package

Title Monotone Theme Maker for Quarto

Version 0.2.2

Description Makes a monotone theme for Quarto revealjs slides, ggplot, and gt.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

URL <https://github.com/kazuyanagimoto/quartomonothemer>,
<http://kazuyanagimoto.com/quartomonothemer/>

BugReports <https://github.com/kazuyanagimoto/quartomonothemer/issues>

Suggests knitr, rmarkdown, tools, ggplot2, gt, here, palmerpenguins, titanic, dplyr, tidyr, forcats, modelsummary, fixest, janitor, gtExtras, gghighlight, showtext, altdoc

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.1

VignetteBuilder knitr

Repository <https://kazuyanagimoto.r-universe.dev>

RemoteUrl <https://github.com/kazuyanagimoto/quartomonothemer>

RemoteRef HEAD

RemoteSha d22e66f8f1a5261fa457c3fe8db413bc3aef07f1

Contents

gt_theme_quarto	2
style_mono_quarto	2
theme_quarto	4

Index	5
--------------	----------

gt_theme_quarto	<i>A gt Theme Generated by quartomonothemer</i>
-----------------	---

Description

A gt Theme Generated by quartomonothemer

Usage

```
gt_theme_quarto(
  data,
  table.width = NULL,
  table.font.names = NULL,
  table.font.size = NULL,
  ...
)
```

Arguments

data	A gt object
table.width	Table Width
table.font.names	Base font name
table.font.size	Base font size
...	gt::tab_options options

Value

A gt theme

style_mono_quarto	<i>Monotone Theme Maker for Quarto</i>
-------------------	--

Description

Monotone Theme Maker for Quarto

Usage

```

style_mono_quarto(
  path_scss = NULL,
  font_title = "Josefin Sans",
  font_text = "Montserrat",
  font_code = "Fira Code",
  font_sans = "Noto Sans",
  google_fonts = NULL,
  size_font_h1 = "1.6em",
  size_font_h2 = "1.3em",
  size_font_h3 = "1.15em",
  size_font_h4 = "1.0em",
  color_base = "#009F8C",
  color_accent = "#B75C9D",
  color_text = "#272822",
  color_link = "#B75C9D",
  color_bg = "#ffffff",
  color_code = "#009F8C",
  color_code_block_border = "#93a1a1",
  size_base = 20,
  font_text_table = NULL,
  size_font_table = "0.9em",
  width_table = "80%",
  add_recommended_scss = TRUE,
  table_engine = "gt"
)

```

Arguments

path_scss	Path of scss
font_title	Title font
font_text	Text font
font_code	Code font
font_sans	An unicode font for tables
google_fonts	Google font names. These fonts will be imported in quartomonothemer.scss
size_font_h1	Font size for h1
size_font_h2	Font size for h2
size_font_h3	Font size for h3
size_font_h4	Font size for h4
color_base	Base color
color_accent	Accent color
color_text	Text color
color_link	Link color
color_bg	Background color

color_code	Code color
color_code_block_border	Color of Code block border
size_base	Base font size for the ggplot2 theme
font_text_table	Base font size for gt table
size_font_table	Table text font
width_table	Table width (Default: 80%)
add_recommended_scss	Add a recommended SCSS settings (Default: TRUE)
table_engine	Table engine. Currently only supports "gt" (Default: "gt")

Examples

```
style_mono_quarto(
  font_title = "Roboto",
  font_text = "Roboto Condensed",
  google_fonts = c("Roboto", "Roboto Condensed")
)
```

theme_quarto

A ggplot2 Theme Generated by quartomonthemer

Description

A ggplot2 Theme Generated by quartomonthemer

Usage

```
theme_quarto(font_title = NULL, font_text = NULL, size_base = NULL)
```

Arguments

font_title	Title font
font_text	Text font
size_base	Base font size

Value

A ggplot2 theme

Index

`gt_theme_quarto`, 2

`style_mono_quarto`, 2

`theme_quarto`, 4